DELPHION

No active trail





High

Resolution



RESEARCH PRODUCTS

INSIDE DELPHION

Search: Quick/Number Boolean Advanced Derwent

Heir

The Delphion Integrated View: INPADOC Record

Get Now: PDF | File History | Other choices Tools: Add to Work File: Create new Work File Add View: Jump to: Top Go to: Derwent Email this to a friend

> 율Title: IL0133264A0: POLYNUCLEOTIDE ENCODING A POLYPEPTIDE HAVING

> > HEPARANASE ACTIVITY AND EXPRESSION OF SAME IN TRANSDUCED

CELLS

New human polynucleotide useful for treating angiogenesis, restenosis, and

inflammation [Derwent Record]

Gountry: IL Israel

拿Kind: A0 Notice under SECTION 16 of the Patent Law 1

曾Inventor: see Assignee

INSIGHT STRATEGY & MARKETING LTD.

HADASIT MEDICAL RESEARCH SERVICES & DEVELOPMENT LTD.

News, Profiles, Stocks and More about this company

Published / Filed: 2001-04-30 / 1998-08-31

Application

IL1998000133264

Number:

율IPC Code: IPC-7: C12N;

♥ECLA Code: None

1997-09-02 **US1997000922170** 물Priority Number:

1998-07-02 US1998000109386 1998-08-31 WO1998US0017954

PINPADOC

None

Get Now: Family Legal Status Report

Legal Status:

AL AM AP AZ BA BB BG BR BY CA CU CZ EA EE GE GH GM HR ID IL IS

KE KG AT BE CH DE DK ES FI FR GB GR IE IT Country:

ਊ Family:

| PDF | <u>Publication</u> | Pub. Date | Filed | Title |
|----------|--------------------|------------|------------|---|
| | WO9957244A1 | 1999-11-11 | 1999-04-29 | GENETICALLY MODIFIED CELLS AND METHODS FOR EXPRESSING RECOMBINANT HEPARANASE AND METHODS OF PURIFYING SAME |
| 23 | WO9957153A1 | 1999-11-11 | 1999-04-29 | HEPARANASE SPECIFIC MOLECULAR PROBES AND THEIR USE IN RESEARCH AND MEDICAL APPLICATIONS |
| E | WO9948478A1 | 1999-09-30 | 1999-03-22 | USE OF GLYCOSAMINOGLYCANS DEGRADING ENZYMES FOR MANAGEMENT OF AIRWAY ASSOCIATED DISEASES |
| 52 | WO9911798A1 | 1999-03-11 | 1998-08-31 | POLYNUCLEOTIDE ENCODING A POLYPEPTIDE HAVING HEPARANASE ACTIVITY AND EXPRESSION OF SAME IN TRANSDUCED CELLS |
| 22 | WO0235350C2 | 2003-02-20 | | INCREMENTAL CLUSTERING CLASSIFIER AND PREDICTOR |
| | | | | INCREMENTAL CLUSTERING CLASSIFIER |

| 屡 | WO0235350A1 | 2002-05-02 | 2001-10-15 | AND PREDICTOR |
|-----------|------------------------|---------------------|---------------------|--|
| 霆 | WO0219962A3 | 2002-07-11 | 2001-09-05 | THERAPEUTIC AND COSMETIC USES OF HEPARANASES |
| 7.5 | WO0219962A2 | 2002-03-14 | 2001-09-05 | THERAPEUTIC AND COSMETIC USES OF HEPARANASES |
| | WO0052178A1 | 2000-09-08 | 2000-02-14 | POLYNUCLEOTIDE ENCODING A POLYPEPTIDE HAVING HEPARANASE ACTIVITY AND EXPRESSION OF SAME IN GENETICALLY MODIFIED CELLS |
| 嘉 | WO0052149A1 | 2000-09-08 | 2000-02-10 | INTRODUCING A BIOLOGICAL MATERIAL INTO A PATIENT |
| ** | WO0025817A1 | 2000-05-11 | 1999-10-28 | HEPARANASE ACTIVITY NEUTRALIZING ANTI-HEPARANASE MONOCLONAL ANTIBODY |
| 器 | WO0003036A1 | 2000-01-20 | 1999-07-12 | METHOD OF SCREENING FOR POTENTIAL ANTI-METASTATIC AND ANTI- INFLAMMATORY AGENTS USING MAMMALIAN HEPARANASE AS A PROBE |
| 72 | US20060008892A1 | 2006-01-12 | 2005-06-17 | Methods of and pharmaceutical compositions for improving implantation of embryos |
| 豱 | US20050260187A1 | 2005-11-24 | 2005-04-15 | Therapeutic and cosmetic uses of heparanases |
| 23 | <u>US20040229834A1</u> | 2004-11-18 | 2004-05-24 | Heparanase specific molecular probes and their use in research and medical applications |
| 躩 | <u>US20040213789A1</u> | 2004-10-28 | 2003-08 - 22 | Heparanase activity neutralizing anti- heparanase monoclonal antibody and other anti- heparanase antibodies |
| 蕊 | US20040175371A1 | 2004-09-09 | 2004-03-15 | Introducing a biological material into a patient |
| | <u>US20040170631A1</u> | 2004-09-02 | 2003-11-28 | Heparanase activity neutralizing anti- heparanase monoclonal antibody and other anti- heparanase antibodies |
| Z | <u>US20040146925A1</u> | 2004-07 - 29 | 2004-02-26 | Heparanase specific molecular probes and their use in research and medical applications |
| 鬹 | US20040146497A1 | 2004-07-29 | 2004-02-20 | Therapeutic and cosmetic uses of heparanases |
| 豱 | <u>US20040142427A1</u> | 2004-07-22 | 2004-02-25 | Polynucleotide encoding a polypeptide having heparanase activity and expression of same in genetically modified cells |
| 22 | US20040063135A1 | 2004-04-01 | 2003-10-02 | Heparanase specific molecular probes and their use in research and medical applications |
| Z | <u>US20030236215A1</u> | 2003-12-25 | 2003-06-09 | Polynucleotide encoding a polypeptide having heparanase activity and expression of same in genetically modified cells |
| 靐 | US20030217375A1 | 2003-11-20 | 2003-02-24 | Transgenic animals expressing heparanase and uses thereof |
| 毉 | US20030190737A1 | 2003-10-09 | 2003-03-10 | Polynucleotide encoding a polypeptide having heparanase activity and expression of same in genetically modified cells |
| 2 | US20030181687A1 | 2003-09-25 | 2003-02-19 | Heparanase activity neutralizing anti- heparanase monoclonal antibody |
| | US20030170860A1 | 2003-09-11 | 2003-03-10 | Polynucleotide encoding a polypeptide having heparanase activity and expression of same in genetically modified cells |
| 图 | US20030161823A1 | 2003-08-28 | 2003-01-14 | Therapeutic and cosmetic uses of heparanases |
| | US20030068806A1 | | | Genetically modified cells and methods for expressing recombinant heparanase and methods of purifying same |
| 蹇 | US20030031660A1 | 2003-02-13 | 2002-06-07 | Method of inducing bone formation |
| | | | | Polynucleotide encoding a polypeptide having |

| I_ | I | | | heparanase activity and expression of same in |
|----------|------------------------|---------------------|-------------------------|---|
| 麗 | US20020168749A1 | 2002-11-14 | 2001-11-19 | genetically modified cells |
| 图 | <u>US20020114801A1</u> | 2002-08-22 | 1999-06-01 | HEPARANASE SPECIFIC MOLECULAR PROBES AND THEIR USE IN RESEARCH AND MEDICAL APPLICATIONS |
| B | <u>US20020102619A1</u> | 2002-08-01 | 2001-09-04 | Heparanase specific molecular probes and their use in research and medical applications |
| | <u>US20020102560A1</u> | 2002-08-01 | 2001-02-06 | Polynucleotide encoding a polypeptide having heparanase activity and expression of same in genetically modified cells |
| 翌 | <u>US20020088019A1</u> | 2002-07-04 | 2001-10-17 | Methods of and pharmaceutical compositions for improving implantation of embryos |
| Z | <u>US20020068061A1</u> | 2002-06-06 | 1998-11-04 ⁻ | HEPARANASE ACTIVITY NEUTRALIZING ANTI-HEPARANASE MONOCLONAL ANTIBODY |
| 23 | US20020068054A1 | 2002-06-06 | 2000-12-04 | Therapeutic and cosmetic uses of heparanases |
| | <u>US20020064858A1</u> | · | | COMPOSITIONS INCLUDING GLYCOSAMINOGLYCANS DEGRADING ENZYMES AND USE OF SAME AGAINST SURFACE PROTECTED BACTERIA |
| | <u>US20020059202A1</u> | 2002-05-16 | 2001-05-14 | Incremental clustering classifier and predictor |
| | <u>US20020004585A1</u> | 2002-01-10 | 2001-01-16 | Heparanase specific molecular probes and their use in research and medical applications |
| | <u>US20010006630A1</u> | 2001-07-05 | 1999-03-02 | INTRODUCING A BIOLOGICAL MATERIAL INTO A PATIENT |
| Z | <u>US7049407</u> | 2006-05-23 | 2001-01-16 | Heparanase specific antibodies and their use in research and medical applications |
| 2 | <u>US6986996</u> | 2006-01 - 17 | 2004-02-26 | Heparanase specific molecular probes and their use in research and medical applications |
| 22 | <u>US6960471</u> | 2005-11-01 | 2003-03-10 | Polynucleotide encoding a polypeptide having heparanase activity and expression of same in genetically modified cells |
| 湛 | <u>US6946131</u> | 2005-09-20 | 2003-02-19 | Heparanase activity neutralizing anti- heparanase monoclonal antibody |
| 體 | <u>US6800441</u> | 2004-10-05 | 2001-09-04 | Heparanase specific molecular probes and their use in research and medical applications |
| 歰 | <u>US6790658</u> | 2004-09-14 | 2001-11-19 | Polynucleotide encoding a polypeptide having heparanase activity and expression of same in genetically modified cells |
| 黫 | <u>US6699672</u> | 2004-03-02 | 2000-11-03 | Heparanase specific molecular probes and their use research and medical applications |
| 23 | <u>US6664105</u> | 2003-12-16 | 1999-11-08 | Polynucleotide encoding a polypeptide having heparanase activity and expression of same in genetically modified cells |
| 靐 | <u>US6562950</u> | 2003-05-13 | 1998-11-04 | Heparanase activity neutralizing anti- heparanase monoclonal antibody |
| | <u>US6531129</u> | 2003-03-11 | 1999-06-01 | Heparanase specific molecular probes and their use in research and medical applications |
| EZ. | <u>US6475763</u> | 2002-11-05 | 2000-01-19 | Genetically modified cells and methods for expressing recombinant heparanase and methods of purifying same |
| | <u>US6426209</u> | 2002-07-30 | 2000-08-10 | Genetically modified cells and methods for expressing recombinant heparanase and methods of purifying same |
| 22 | <u>US6423312</u> | 2002-07-23 | 1998-08-27 | Compositions including glycosaminoglycans degrading enzymes and use of same against surface protected bacteria |
| | | | | Genetically modified cells and methods for |

| 器 | <u>US6348344</u> | 2002-02-19 | 1999-03-02 | expressing recombinant heparanase and methods of purifying same |
|----------|------------------|------------|------------|---|
| 题 | <u>US6190875</u> | 2001-02-20 | 1998-07-10 | Method of screening for potential anti-metastatic and anti-inflammatory agents using mammalian heparanase as a probe |
| | <u>US6177545</u> | 2001-01-23 | 1998-05-01 | Heparanase specific molecular probes and their use in research and medical applications |
| 25 | <u>US6153187</u> | 2000-11-28 | 1998-03-25 | Use of glycosaminoglycans degrading enzymes for management of airway associated diseases |
| NZ. | <u>US5968822</u> | 1999-10-19 | 1997-09-02 | Polynucleotide encoding a polypeptide having heparanase activity and expression of same in transduced cells |
| M | TR0000578T2 | 2000-07-21 | 1998-08-31 | Heparanas aktiviteye sahip olan bir polipeptit desifre eden polin kleotit ve nevrilmis h crelerde aynisini izahi. |
| M | PL0338949A1 | 2000-12-04 | 1998-08-31 | POLYNUCLEOTIDE CODING A POLYPEPTIDE INDICATIVE OF HEPARANASE ACTIVITY AND ITS EXPRESSION IN CELLS SUBJECT TO TRANSDUCTION |
| Z/ | NO20014218A0 | 2001-08-31 | 2001-08-31 | INTRODUKSJON AV BIOLOGISK MATERIALE INN I EN PASIENT |
| Z | NO20014218A | 2001-10-26 | 2001-08-31 | INTRODUKSJON AV BIOLOGISK MATERIALE INN I EN PASIENT |
| (A | NO20012190A0 | 2001-05-03 | 2001-05-03 | Heparanase aktivitetsneytraliserende anti- heparanase monoklonalt antistoff |
| | NO20012190A | 2001-06-12 | 2001-05-03 | Heparanase aktivitetsneytraliserende anti- heparanase monoklonalt antistoff |
| Ø | NO20010136A0 | 2001-01-09 | 2001-01-09 | Fremgangsm te for screeining av potensielle anti-metastase og anti-inflammatoriske midler ved bruk av pattedyr heparanse som en probe |
| Z | NO20010136A | 2001-03-09 | 2001-01-09 | Fremgangsmte for screening av potensielle antimetastase og antiinflammatoriske midler ved anvendelse av pattedyr heparanase som en probe |
| V | NO20005100A0 | 2000-10-10 | 2000-10-10 | GENETISK MODIFISERTE CELLER OG FREMGANGSMTER FOR EKSPRESJON AV REKOMBINANT HEPARANASE OG FREMGANGSMTER FOR RENSING AV SAMME |
| Z | NO20005100A | 2000-12-28 | 2000-10-10 | GENETISK MODIFISERTE CELLER OG FREMGANGSMAATER FOR EKSPRESJON AV REKOMBINANT HEPARANASE OG FREMGANGSMAATER FOR RENSING AV SAMME |
| Z | NO0996229A0 | 1999-12-15 | 1999-12-15 | Heparanase spesifikke molekylaere prober og deres anvendelse i forskning og medisin |
| Z | NO0996229A | 2000-02-24 | 1999-12-15 | Heparanase spesifikke molekylrre prober og deres anvendelse i forskning og medisin |
| Z | NO0996228A0 | 1999-12-15 | 1999-12-15 | Polynucleotid som koder et polypeptid med heparanase aktivitet samt ekspresjon derav i transduserte celler |
| Z | NO0996228A | 2000-02-28 | 1999-12-15 | Polynucleotid som koder et polypeptid med heparanaseaktivitet, og ekspresjon av samme i transduserte celler |
| Z | JP2002543759T2 | 2002-12-24 | 1999-10-28 | |
| Z | JP2002538181A2 | 2002-11-12 | 2000-02-10 | |
| Z | JP2002520029T2 | 2002-07-09 | | |
| | JP2002513560T2 | 2002-05-14 | 1999-04-29 | |

| E _A | JP2002512533T2 | 2002-04-23 | 1999-04-29 | · |
|----------------|--------------------|------------|-------------------------|--|
| E | JP2001514855T2 | 2001-09-18 | 1998-08-31 | |
| Ţ, | <u>IL0144932A0</u> | 2002-06-30 | 2000-02-10 | INTRODUCING A BIOLOGICAL MATERIAL INTO A PATIENT |
| | <u>IL0142866A0</u> | 2002-03-10 | 1999-10-28 [.] | HEPARANASE ACTIVITY NEUTRALIZING ANTI-HEPARANASE MONOCLONAL ANTIBODY |
| Z | IL0140298A0 | 2002-02-10 | 1999-07-12 | METHOD OF SCREENING FOR POTENTIAL ANTI-METASTATIC AND ANTI- INFLAMMATORY AGENTS USING MAMMALIAN HEPARANASE AS A PROBE |
| Z | IL0138943A0 | 2001-11-25 | 1999-04-29 | GENETICALLY MODIFIED CELLS AND METHODS FOR EXPRESSING RECOMBINANT HEPARANASE AND METHODS OF PURIFYING SAME |
| Z | IL0133265A0 | 2001-04-30 | 1999-04-29 | HEPARANASE SPECIFIC MOLECULAR PROBES AND THEIR USE IN RESEARCH AND MEDICAL APPLICATIONS |
| | IL0133264A0 | 2001-04-30 | 1998-08-31 | POLYNUCLEOTIDE ENCODING A POLYPEPTIDE HAVING HEPARANASE ACTIVITY AND EXPRESSION OF SAME IN TRANSDUCED CELLS |
| Z | HU0002675AB | 2000-12-28 | 1998-08-31 | POLYNUCLEOTIDE ENCODING A POLYPEPTIDE HAVING HEPARANASE ACTIVITY AND EXPRESSION OF SAME IN TRANSDUCED CELLS |
| Z | ES2259816T3 | 2006-10-16 | 1998-08-31 | CODIFICACION POLINUCLEOTIDA DE UN POLIPEPTIDO CON ACTIVIDAD HEPARANASA Y EXPRESION DEL MISMO EN CELULAS TRANSDUCIDAS. |
| 鑋 | EP1676912A2 | 2006-07-05 | 1998-08-31 | Medical equipment containing a polypeptide having heparanase activity |
| 53 | EP1489183A1 | 2004-12-22 | 1998-08-31 | Polynucleotide encoding a polypeptide having heparanase activity and expression of same in transduced cells |
| 隘 | EP1439226A3 | 2004-10-06 | 1998-08-31 | A nucleic acid antisense sequence to a polynucleotide encoding a polypeptide having heparanese activity |
| | EP1439226A2 | 2004-07-21 | 1998-08-31 | A nucleic acid antisense sequence to a polynucleotide encoding a polypeptide having heparanese activity |
| 既 | EP1439193A3 | 2004-10-06 | 1998-08 <u>-</u> 31 | Antibody directed to polypeptide having heparanase activity |
| | EP1439193A2 | 2004-07-21 | 1998-08-31 | Antibody directed to polypeptide having heparanase activity |
| 72 | EP1317271A2 | 2003-06-11 | 2001-09-05 | THERAPEUTIC AND COSMETIC USES OF HEPARANASES |
| 7.6 | EP1159409A4 | 2003-05-02 | 2000-02-10 | INTRODUCING A BIOLOGICAL MATERIAL INTO A PATIENT |
| 毉 | EP1159409A1 | 2001-12-05 | 2000-02-10 | INTRODUCING A BIOLOGICAL MATERIAL INTO A PATIENT |
| 器 | EP1157118A4 | 2002-07-17 | 2000-02-14 | POLYNUCLEOTIDE ENCODING A POLYPEPTIDE HAVING HEPARANASE ACTIVITY AND EXPRESSION OF SAME IN GENETICALLY MODIFIED CELLS |
| | EP1157118A1 | 2001-11-28 | 2000-02-14 | POLYNUCLEOTIDE ENCODING A POLYPEPTIDE HAVING HEPARANASE ACTIVITY AND EXPRESSION OF SAME IN GENETICALLY MODIFIED CELLS |
| | | | | |

| <u> </u> | EP1126878A4 | 2003-04-16 | 1999-10-28 | HEPARANASE ACTIVITY NEUTRALIZING ANTI-HEPARANASE MONOCLONAL |
|----------|--------------|---------------------|------------|--|
| 器 | EP1126878A1 | 2001-08-29 | 1999-10-28 | ANTIBODY HEPARANASE ACTIVITY NEUTRALIZING ANTI-HEPARANASE MONOCLONAL ANTIBODY |
| 25 | EP1097241A1 | 2001-05-09 | | METHOD OF SCREENING FOR POTENTIAL ANTI-METASTATIC AND ANTI- INFLAMMATORY AGENTS USING MAMMALIAN HEPARANASE AS A PROBE |
| 23 | EP1076689A4 | 2003-04-02 | 1999-04-29 | GENETICALLY MODIFIED CELLS AND METHODS FOR EXPRESSING RECOMBINANT HEPARANASE AND METHODS OF PURIFYING SAME |
| 題 | EP1076689A1 | 2001-02-21 | 1999-04-29 | GENETICALLY MODIFIED CELLS AND METHODS FOR EXPRESSING RECOMBINANT HEPARANASE AND METHODS OF PURIFYING SAME |
| | EP1073682A4 | 2001 - 02-07 | | HEPARANASE SPECIFIC MOLECULAR PROBES AND THEIR USE IN RESEARCH AND MEDICAL APPLICATIONS |
| æ | EP1073682A1 | 2001-02-07 | | HEPARANASE SPECIFIC MOLECULAR PROBES AND THEIR USE IN RESEARCH AND MEDICAL APPLICATIONS |
| Æ | EP0998569B1 | 2006-03-01 | 1998-08-31 | POLYNUCLEOTIDE ENCODING A POLYPEPTIDE HAVING HEPARANASE ACTIVITY AND EXPRESSION OF SAME IN TRANSDUCED CELLS |
| | EP0998569A4 | 2000-08-16 | 1998-08-31 | POLYNUCLEOTIDE ENCODING A POLYPEPTIDE HAVING HEPARANASE ACTIVITY AND EXPRESSION OF SAME IN TRANSDUCED CELLS |
| 经 | EP0998569A1 | 2000-05-10 | 1998-08-31 | POLYNUCLEOTIDE ENCODING A POLYPEPTIDE HAVING HEPARANASE ACTIVITY AND EXPRESSION OF SAME IN TRANSDUCED CELLS |
| Œ | DE69833667T2 | 2007-03-08 | 1998-08-31 | POLYNUKLEOTID, KODIEREND F R EIN POLYPEPTID MIT HEPARANASE-AKTIVIT T UND DESSEN EXPRESSION IN TRANSDUZIERTEN ZELLEN |
| | DE69833667C0 | 2006-04-27 | 1998-08-31 | POLYNUKLEOTID KODIEREND F R EIN POLYPEPTID MIT HEPARANASE-AKTIVIT T UND DESSEN EXPRESSION IN TRANSDUZIERTEN ZELLEN |
| Ø | CN1272886T | 2000-11-08 | | Polynucleotide encoding polypeptide having heparanase activity and expression of same in transduced cells |
| M | CN1272886A | 2000-11-08 | | Polynucleotide encoding polypeptide having heparanase activity and expression of same in transduced cells |
| Ø | CA2364463AA | 2000-09-08 | 2000-02-10 | INTRODUCING A BIOLOGICAL MATERIAL INTO A PATIENT |
| Ø | CA2349622AA | 2000-05-11 | 1999-10-28 | HEPARANASE ACTIVITY NEUTRALIZING ANTI-HEPARANASE MONOCLONAL ANTIBODY |
| Ø | CA2335382AA | 2000-01-20 | 1999-07-12 | METHOD OF SCREENING FOR POTENTIAL ANTI-METASTATIC AND ANTI- INFLAMMATORY AGENTS USING MAMMALIAN HEPARANASE AS A PROBE |
| | | | | GENETICALLY MODIFIED CELLS AND |

| Z | CA2329142AA | 1999-11-11 | 1999-04-29 | METHODS FOR EXPRESSING RECOMBINANT HEPARANASE AND METHODS OF PURIFYING SAME | |
|--------------------------------|--------------------|------------|------------|--|--|
| Z | CA2296758AA | 1999-03-11 | 1998-08-31 | POLYNUCLEOTIDE ENCODING A POLYPEPTIDE HAVING HEPARANASE ACTIVITY AND EXPRESSION OF SAME IN TRANSDUCED CELLS | |
| K | AU9125898A1 | 1999-03-22 | 1998-08-31 | Polynucleotide encoding a polypeptide having heparanase activity and expression of same in transduced cells | |
| Z | <u>AU4869799A1</u> | 2000-02-01 | 1999-07-12 | METHOD OF SCREENING FOR POTENTIAL ANTI-METASTATIC AND ANTI- INFLAMMATORY AGENTS USING MAMMALIAN HEPARANASE AS PROBE | |
| Z | AU3870699A1 | 1999-11-23 | 1999-04-29 | Heparanase specific molecular probes and their use in research and medical applications | |
| Tæ | AU3770599A1 | 1999-11-23 | 1999-04-29 | GENETICALLY MODIFIED CELLS AND METHODS FOR EXPRESSING RECOMBINANT HEPARANASE ANDMETHODS OF PURIFYING SAME | |
| Z. | AU3107799A1 | 1999-10-18 | 1999-03-22 | USE OF GLYCOSAMINOGLYCANS DEGRADING ENZYMES FOR MANAGEMENT OF AIRWAY ASSOCIATED DISEASES | |
| Z | AU0761592B2 | 2003-06-05 | 2000-02-10 | INTRODUCING A BIOLOGICAL MATERIAL INTO A PATIENT | |
| Ø | <u>AU0758485B2</u> | 2003-03-20 | 1999-07-12 | Method of screening for potential anti-metastatic and anti-inflammatory agents using mammalian heparanase as a probe | |
| 7 4 | AU0754228B2 | 2002-11-07 | 1999-04-29 | Heparanase specific molecular probes and their use in research and medical applications | |
| Ø | AU0751170B2 | 2002-08-08 | 1999-10-28 | Heparanase activity neutralizing anti- heparanase monoclonal antibody | |
| Z | <u>AU0735116B2</u> | 2001-06-28 | 1998-08-31 | Polynucleotide encoding a polypeptide having heparanase activity and expression of same in transduced cells | |
| - | AU0213188A5 | | 2001-10-15 | · | |
| | <u>AU0184380A5</u> | 2002-03-22 | 2001-09-05 | Therapeutic and cosmetic uses of heparanases | |
| | AU0029881A5 | 2000-09-21 | 2000-02-10 | INTRODUCING A BIOLOGICAL MATERIAL INTO A PATIENT | |
| Z | AU0028786A5 | 2000-09-21 | 2000-02-14 | Polynucleotide encoding a polypeptide having heparanase activity and expression of same in genetically modified cells | |
| Z | AU0013314A5 | 2000-05-22 | 1999-10-28 | HEPARANASE ACTIVITY NEUTRALIZING ANTI-HEPARANASE MONOCLONAL ANTIBODY | |
| (Zá) | AT0318912E | 2006-03-15 | 1998-08-31 | POLYNUKLEOTID KODIEREND F R EIN POLYPEPTID MIT HEPARANASE-AKTIVIT T UND DESSEN EXPRESSION IN TRANSDUZIERTEN ZELLEN | |
| 133 family members shown above | | | | | |

Info:

CHEMABS 130(17)219167W CHEMABS 134(02)013334X CHEMABS 134(10)128217D CHEMABS 134(14)188168Y CHEMABS 136(13)195300E DERABS C1999-302255





section 2,4,5 against 41

133264/2

clavers 9-12 of 12 application

· What is claimed is:

44932

- 1. A polynucleotide fragment comprising a polynucleotide sequence encoding a polypeptide having heparanase catalytic activity, wherein said polypeptide shares at least 70% homology with SEQ ID NO:10, as determined using default parameters of a DNA sequence analysis software package developed by the Genetic Computer Group (GCG) at the University of Wisconsin.
- 2. The polynucleotide fragment of claim 1, wherein said polynucleotide sequence includes nucleotides 63-1691 of SEQ ID NO:9.
- 3. The polynucleotide fragment of claim 1, wherein said polynucleotide sequence includes nucleotides 63-721 of SEQ ID NO:9.
- 4. The polynucleotide fragment of claim 1, wherein said polynucleotide is as set forth in SEQ ID NO:9.
- 5. The polynucleotide fragment of claim 1, wherein said polynucleotide sequence includes a segment of SEQ ID NO:9, said segment encodes said polypeptide having said heparanase catalytic activity.
- 6. The polynucleotide fragment of claim 1, wherein said polypeptide includes an amino acid sequence as set forth in SEQ ID NO:10.
- 7. The polynucleotide fragment of claim 1, wherein said polypeptide includes a segment of SEQ ID NO:10, said segment harbors said heparanase catalytic activity.
- 8. The polynucleotide fragment of claim 1, wherein said polynucleotide sequence is selected from the group consisting of double stranded DNA, single stranded DNA and RNA.

- 9. A polynucleotide sequence as set forth in SEQ D NO:9.
- 10. A polynucleotide sequence at least 70% homologous to SEQ ID NO:9, as determined using default parameters of a DNA sequence analysis software package developed by the Genetic Computer Group (GCG) at the University of Wisconsin, wherein said polynucleotide sequence encodes a polypeptide having heparanase catalytic activity.
- 11. A vector comprising a polynucleotide sequence encoding a polypeptide having heparanase catalytic activity, wherein said polypeptide shares at least 70% homology with SEQ ID NO:10, as determined using default parameters of a DNA sequence analysis software package developed by the Genetic Computer Group (GCG) at the University of Wisconsin.
- 12. The vector of claim 11, wherein said polynucleotide sequence includes nucleotides 63-1691 of SEQ ID NO:9.
- 13. The vector of claim 11, wherein said polynucleotide sequence includes nucleotides 63-721 of SEQ ID NO:9.
- 14. The vector of claim 11, wherein said polynucleotide sequence is as set forth in SEQ ID NO:9.
- 15. The vector of claim 11, wherein said polynucleotide sequence includes a segment of SEQ ID NO:9, said segment encodes said polypeptide having said heparanase catalytic activity.
- 16. The vector of claim 11, wherein said polypeptide includes an amino acid sequence as set forth in SEQ ID NO:10.

- 17. The vector of claim 11, wherein said polypeptide includes a segment of SEQ ID NO:10, said segment harbors said heparanase catalytic activity.
- 18. The vector of claim 11, wherein said polynucleotide sequence is selected from the group consisting of double stranded DNA, single stranded DNA and RNA.
- 19. The vector of claim 11, wherein said vector is a baculovirus vector.
- 20. A host cell comprising an exogenous polynucleotide fragment including a polynucleotide sequence encoding a polypeptide having heparanase catalytic activity, wherein said polypeptide shares at least 70% homology with SEQ ID NO:10 as determined using default parameters of a DNA sequence analysis software package developed by the Genetic Computer Group (GCG) at the University of Wisconsin.
- 21. The host cell of claim 20, wherein said polynucleotide sequence includes nucleotides 63-1691 of SEQ ID NO:9.
- 22. The host cell of claim 20, wherein said polynucleotide sequence includes nucleotides 63-721 of SEQ ID NO:9.
- 23. The host cell of claim 20, wherein said polynucleotide sequence is as set forth in SEQ ID NO:9.
- 24. The host cell of claim 20, wherein said polynucleotide sequence includes a segment of SEQ ID NO:9, said segment encodes said polypeptide having said heparanase catalytic activity.
- 25. The host cell of claim 20, wherein said polypeptide includes an amino acid sequence as set forth in SEQ ID NO:10.
- 26. The host cell of claim 20, wherein said polypeptide includes a segment of SEQ ID

NO:10, said segment harbors said heparanase catalytic activity.

- 27. The host cell of claim 20, wherein said polynucleotide sequence is selected from the group consisting of double stranded DNA, single stranded DNA and RNA.
- 28. A host cell expressing a recombinant heparanase, wherein said recombinant heparanase shares at least 70% homology with SEQ ID NO:10, as determined using default parameter of a DNA sequence analysis software package developed by the Genetic Computer (Group (GCG) at the University of Wisconsin.
- 29. A heparanase overexpression system comprising a cell overexpressing heparanase catalytic activity, wherein said heparanase catalytic activity is effected by a recombinant heparanase sharing at least 70% homology with SEQ ID NO:10, as determined using default parameters of a DNA sequence analysis software package developed by the Genetic Computer Group (GCG) at the University of Wisconsin.
- 30. The host cell of claim 20, wherein said cell is an insect cell.

Dr. Gal Ehrlich Patent Attorney G.E. Ehrlich (1995) Ltd. 11 Menachem Begin Street

52 521 Ramat Gan

à